

## GENERAL

C00010 - STANDARD GIRT ORIENTATION DETAIL

C00020 - STACKED JOINT/WAINSCOT ANGLE DETAIL

C00030 - SHEETING ANGLE DETAIL

C00040 - BASE MEMBER DETAIL



GENERAL DETAILS WALL SECONDARY

C00010 - STANDARD GIRT ORIENTATION DETAIL


Download the DWG file by clicking here.

## ERECTOR NOTE:

UNLESS SPECIFICALLY NOTED OTHERWISE, STANDARD ZEE GIRT ORIENTATION IS TO HAVE THE GIRT TOED DOWN AT THE STEEL LINE AS SHOWN IN THE DETAIL BELOW.

UNLESS SPECIFICALLY NOTED OTHERWISE, STANDARD CEE GIRT ORIENTATION IS TO HAVE THE GIRT TOED UP AS SHOWN IN THE DETAIL BELOW. STANDARD CLIP ATTACHMENT IS BELOW THE GIRT, HOWEVER SOME DETAILS REQUIRE THAT THE CLIP BE ABOVE THE GIRT OR THAT THE GIRT BE TOED DOWN.

(REFER TO THE GIRT DETAILS FOR SPECIFIC CONNECTION REQUIREMENTS).



Detailer Notes:


1) N/A



GENERAL DETAILS

WALL SECONDARY


C00020 - STACKED JOINT/WAINSCOT ANGLE DETAIL Download the DWG file by clicking here.



\* ERECTOR NOTE: SEE CORRESPONDING SHEETING DETAIL(S) FOR TRIM ATTACHMENT TO ANGLE, PRIOR TO ATTACHING ANGLES TO SECONDARY.

## STACKED JOINT/WAINSCOT ANGLE DETAIL

PRE-DRILL AS REQUIRED



Detailer Notes:

1)




**GENERAL DETAILS** 

WALL SECONDARY

C00030 - SHEETING ANGLE DETAIL

Download the DWG file by clicking here.




Detailer Notes:

1) Waterloo/Contract specified only. Detail and angles to be provided only when NBG is not supplying the panels.



GENERAL DETAILS WALL SECONDARY

C00040 - BASE MEMBER DETAIL Download the DWG file by clicking here.



Detailer Notes:

1) N/A