

TABLE OF CONTENTS

LOW EAVE (BASIC)

EB6010 - BASIC EAVE - WALL PANEL

EB6040 - BASIC EAVE w MASONRY WALL

EB6050 - BASIC EAVE - SUPPORTING MASONRY WALL

EB6070 - BASIC EAVE - NO WALL PANEL

EB6100 - OPEN LEAN-TO - WALL PANEL

EB6140 - CLOSED LEAN-TO - WALL PANEL

EB6600 - OPEN LEAN-TO - INSULATED WALL PANEL

EB6610 - BASIC EAVE - INSULATED WALL PANEL


EB6640 - CLOSED LEAN-TO - INSULATED WALL PANEL



TRAPEZOIDAL SEAM ROOF PANELS

EB6010 - BASIC EAVE w/ WALL PANEL

Download the DWG file by clicking here.



BASIC EAVE DETAIL

BASIC EAVE DETAIL w/ WALL PANELS SEE WALL SHEETING ERECTION NOTES FOR WALL PANEL FASTENER LOCATIONS

EB6010


Detailer Notes:

1) CLOSURES LOW EAVE LAYER DEFAULT IS ON. LAYER MUST BE TURNED OFF IF CLOSURES ARE NOT REQUIRED.

TRAPEZOIDAL SEAM ROOF PANELS

EB6040 - BASIC EAVE w/ MASONRY WALL

Download the DWG file by clicking here.



Detailer Notes:

1) N/A


Issued: 10.14.22 (2020-039) CERTIFIED ERECTION DETAILS Detail Size (W x H): 1 x 1



TRAPEZOIDAL SEAM ROOF PANELS

EB6050 - BASIC EAVE w/ SUPPORTING MASONRY WALL

Download the DWG file by clicking here.



Detailer Notes:

1) N/A


Issued: 10.14.22 (2020-039) CERTIFIED ERECTION DETAILS Detail Size (W x H): 1 x 1



TRAPEZOIDAL SEAM ROOF PANELS

EB6070 - BASIC EAVE w/ NO WALL PANEL

Download the DWG file by clicking here.



Detailer Notes:

1) N/A


Issued: 10.14.22 (2020-039) CERTIFIED ERECTION DETAILS Detail Size (W x H): 1 x 1



TRAPEZOIDAL SEAM ROOF PANELS

EB6100 - OPEN LEAN-TO w/ WALL PANEL

Download the DWG file by clicking here.



INTERIOR EAVE DETAIL

OPEN LEAN-TO WITH ROOF PANEL CONTINUOUS SEE WALL SHEETING ERECTION NOTES FOR WALL PANEL FASTENER LOCATIONS

EB6100

Detailer Notes:


1) IF LEAN-TO IS MORE THAN 80' THE ROOF WILL NEED TO BE ALLOWED TO FLOAT FOR THERMAL EXPANSION. AN ALTERNATE METHOD FOR SEALING THIS EAVE CONDITION WILL BE REQUIRED.
2) CLOSURES LOW EAVE LAYER DEFAULT IS ON. LAYER MUST BE TURNED OFF IF CLOSURES ARE NOT REQUIRED.



TRAPEZOIDAL SEAM ROOF PANELS

EB6140 - CLOSED LEAN-TO w/ WALL PANEL

Download the DWG file by clicking here.



INTERIOR EAVE DETAIL

CLOSED LEAN-TO WITH ROOF PANEL CONTINUOUS SEE WALL SHEETING ERECTION NOTES FOR WALL PANEL FASTENER LOCATIONS

EB6140

Detailer Notes:

1) CLOSURES LOW EAVE LAYER DEFAULT IS ON. LAYER MUST BE TURNED OFF IF CLOSURES ARE NOT REQUIRED.




TRAPEZOIDAL SEAM ROOF PANELS

Detail Size (W x H): 1 x 1

EB6600 - OPEN LEAN-TO w/ INSULATED WALL PANEL

Download the DWG file by clicking here.



Detailer Notes:

1) IF LEAN-TO IS MORE THAN 80' THE ROOF WILL NEED TO BE ALLOWED TO FLOAT FOR THERMAL EXPANSION. AN ALTERNATE METHOD FOR SEALING THIS EAVE CONDITION WILL BE REQUIRED.

Revised: 09.06.23 (MR2023.09)


Revised By: SDF



TRAPEZOIDAL SEAM ROOF PANELS

EB6610 - BASIC EAVE w/ INSULATED WALL PANEL

Download the DWG file by clicking here.



Detailer Notes:

1) N/A


Revised : 09.06.23 (MR2023.09) CERTIFIED ERECTION DETAILS Detail Size (W x H) : 1 x 1

Revised By: SDF

TRAPEZOIDAL SEAM ROOF PANELS

EB6640 - CLOSED LEAN-TO w/ INSULATED WALL PANEL

Download the DWG file by clicking here.



Detailer Notes:

1) N/A

Revised : 09.07.23 (MR2023.09) **CERTIFIED ERECTION DETAILS** Detail Size (W x H): 1 x 1

Revised By: SDF