

RAKE (SCULPTURED)

FE2010 - SCULPTURED RAKE - WALL PANEL

FE2015 - SCULPTURED RAKE - WALL PANEL - JOIST

FE2050 - SCULPTURED RAKE - WALL BY OTHERS


FE2055 - SCULPTURED RAKE - WALL BY OTHERS - JOIST

FE2610 - SCULPTURED RAKE - INSULATED WALL PANEL


FE2615 - SCULPTURED RAKE - INSULATED WALL PANEL - JOIST

FE2010 - SCULPTURED RAKE w/ WALL PANEL

[Download the DWG file by clicking here.](#)




ERECTOR NOTE: *
STARTING RAKE CONDITION IS SHOWN. BRIDGE PREPARATION WILL VARY BETWEEN THE STARTING AND ENDING RAKES, SEE BRIDGE INSTALLATION DETAILS FOR SPECIFIC BRIDGE REQUIREMENTS.



RETAINER CEE & INSULATION TIE-OFF DETAIL

NOTE 1: KEEP FASTENERS 2 1/2" AWAY FROM RAKE CLIPS!!
REFERENCE DETAIL FA2076 FOR ADDITIONAL REQUIRED TRIM LAP FASTENER

NOTE 2:
PREDRILLING MAY BE REQUIRED DUE TO MULTIPLE LAYERS OF MATERIAL.



R-Boost™ RAKE DETAIL

RAKE SCULPTURED DETAIL w/ WALL PANELS
SEE WALL SHEETING ERECTION NOTES FOR WALL PANEL FASTENER LOCATIONS


FE2010

Detailer Notes:


- 1) CLOSURE LAYER IS ON BY DEFAULT.
CLOSURE LAYER MUST BE TURNED OFF IF CLOSURES ARE NOT REQUIRED.

FE2015 - SCULPTURED RAKE w/ WALL PANEL - JOIST

[Download the DWG file by clicking here.](#)




ERECTOR NOTE: *
STARTING RAKE CONDITION IS SHOWN. BRIDGE PREPERATION WILL VARY BETWEEN THE STARTING AND ENDING RAKES, SEE BRIDGE INSTALLATION DETAILS FOR SPECIFIC BRIDGE REQUIREMENTS.



RETAINER CEE & INSULATION TIE-OFF DETAIL

NOTE 1: KEEP FASTENERS 2 1/2" AWAY FROM RAKE CLIPS!!
REFERENCE DETAIL FA2076 FOR ADDITIONAL REQUIRED TRIM LAP FASTENER

NOTE 2:
PREDRILLING MAY BE REQUIRED DUE TO MULTIPLE LAYERS OF MATERIAL.



R-Boost™ RAKE DETAIL

RAKE SCULPTURED DETAIL w/ WALL PANELS
SEE WALL SHEETING ERECTION NOTES FOR WALL PANEL FASTENER LOCATIONS


FE2015

Detailer Notes:


- 1) CLOSURE LAYER IS ON BY DEFAULT.
CLOSURE LAYER MUST BE TURNED OFF IF CLOSURES ARE NOT REQUIRED.

FE2050 - SCULPTURED RAKE w/ WALL BY OTHERS

[Download the DWG file by clicking here.](#)




ERECTOR NOTE: *
STARTING RAKE CONDITION IS SHOWN. BRIDGE PREPERATION WILL VARY BETWEEN THE STARTING AND ENDING RAKES, SEE BRIDGE INSTALLATION DETAILS FOR SPECIFIC BRIDGE REQUIREMENTS.



RETAINER CEE & INSULATION TIE-OFF DETAIL

NOTE 1: KEEP FASTENERS 2 1/2" AWAY FROM RAKE CLIPS!!
REFERENCE DETAIL FA2076 FOR ADDITIONAL REQUIRED TRIM LAP FASTENER

NOTE 2:
PREDRILLING MAY BE REQUIRED DUE TO MULTIPLE LAYERS OF MATERIAL.



R-Boost™ OPEN RAKE DETAIL

STARTING RAKE DETAIL, OPEN FOR WALL w/CONSTRUCTION NOT BY MBS


FE2050

Detailer Notes:


1) N/A

FE2055 - SCULPTURED RAKE - WALL BY OTHERS - JOIST

[Download the DWG file by clicking here.](#)




ERECTOR NOTE: *
STARTING RAKE CONDITION IS SHOWN. BRIDGE PREPERATION WILL VARY BETWEEN THE STARTING AND ENDING RAKES, SEE BRIDGE INSTALLATION DETAILS FOR SPECIFIC BRIDGE REQUIREMENTS.



RETAINER CEE & INSULATION TIE-OFF DETAIL

NOTE 1: KEEP FASTENERS 2 1/2" AWAY FROM RAKE CLIPS!!
REFERENCE DETAIL FA2076 FOR ADDITIONAL REQUIRED TRIM LAP FASTENER

NOTE 2:
PREDRILLING MAY BE REQUIRED DUE TO MULTIPLE LAYERS OF MATERIAL.



R-Boost™ OPEN WALL RAKE DETAIL
STARTING RAKE DETAIL w/ JOIST AND WALL OPEN FOR WALL SYSTEM NOT BY MBS


FE2055

Detailer Notes:


1) N/A

FE2610 - SCULPTURED RAKE - INSULATED WALL PANEL


[Download the DWG file by clicking here.](#)



ERECTOR NOTE: *
STARTING RAKE CONDITION IS SHOWN. BRIDGE PREPERATION WILL VARY BETWEEN THE STARTING AND ENDING RAKES, SEE BRIDGE INSTALLATION DETAILS FOR SPECIFIC BRIDGE REQUIREMENTS.



RETAINER CEE & INSULATION TIE-OFF DETAIL




Detailer Notes:


- 1) PANEL CLIP WC-01 REQUIRES 2 1/2" MINIMUM BEARING ON RAKE ANGLE TO ALLOW ROOM FOR (2) FASTENERS.

FE2615 - SCULPTURED RAKE - INSULATED WALL PANEL - JOIST

[Download the DWG file by clicking here.](#)



ERECTOR NOTE: *
STARTING RAKE CONDITION IS SHOWN. BRIDGE PREPERATION WILL VARY BETWEEN THE STARTING AND ENDING RAKES, SEE BRIDGE INSTALLATION DETAILS FOR SPECIFIC BRIDGE REQUIREMENTS.




RETAINER CEE & INSULATION TIE-OFF DETAIL

NOTE 1: KEEP FASTENERS 2 1/2" AWAY FROM RAKE CLIPS!!
REFERENCE DETAIL FA2076 FOR ADDITIONAL REQUIRED TRIM LAP FASTENER

PANEL THICKNESS	BACK OF RAKE ANGLE
2"	3"
2 1/2"	3"
3"	2 1/4"
4"	1 1/4"

NOTE 2:
PREDRILLING MAY BE REQUIRED DUE TO MULTIPLE LAYERS OF MATERIAL.



R-Boost™ RAKE DETAIL
RAKE DETAIL w/ JOIST & INSULATED WALL PANEL

FE2615

Detailer Notes:

- 1) PANEL CLIP WC-01 REQUIRES 2 1/2" MINIMUM BEARING ON RAKE ANGLE TO ALLOW ROOM FOR (2) FASTENERS.