

# TABLE OF CONTENTS

### **HIGH EAVE (SCULPTURED)**

FH2010 - HIGH EAVE DETAIL WALL PANELS FH2612 - HIGH EAVE DETAIL W INSULATED WALL PANELS



## HIGH EAVE (SCULPTURED)


R-Boost™ ELEVATED INSULATION SYSTEM


#### FH2010 - HIGH EAVE DETAIL WALL PANELS

Download the DWG file by clicking here.

#### HIGH EAVE LAP & FLASHING BACKER

SLIDE FIELD CUT SECTION FLASHING ENDLAP BACKER ONTO THE LOWER TRIM PIECE. PLACE TAPE MASTIC NEXT TO HEM OF THE BACKER (NOT ON TOP OF HEM). APPLY CONTINUOUS BEAD OF CAULK 1" FROM END OF TRIM DOWN PROFILE OF TRIM. FASTEN LAP WITH STITCH FASTENERS AND POP RIVETS AS SHOWN.





#### **Detailer Notes:**

1) CLOSURE LAYER IS ON BY DEFAULT.
CLOSURE LAYER MUST BE TURNED OFF IF CLOSURES ARE NOT REQUIRED.

Issued By: SLF



## HIGH EAVE (SCULPTURED)


R-Boost™ ELEVATED INSULATION SYSTEM

#### FH2612 - HIGH EAVE DETAIL W/ INSULATED WALL PANELS

Download the DWG file by clicking here.

#### HIGH EAVE LAP & FLASHING BACKER

SLIDE FIELD CUT SECTION FLASHING ENDLAP BACKER ONTO THE LOWER TRIM PIECE. PLACE TAPE MASTIC NEXT TO HEM OF THE BACKER (NOT ON TOP OF HEM). APPLY CONTINUOUS BEAD OF CAULK 1" FROM END OF TRIM DOWN PROFILE OF TRIM. FASTEN LAP WITH STITCH FASTENERS AND POP RIVETS AS SHOWN.



**Detailer Notes:** 

1) N/A

: 10.14.22 (2020-039) **CERTIFIED ERECTION DETAILS** Detail Size (W x H): 1 x 2 Issued

Issued By: SLF