

## LOW EAVE (BASIC)


- EB3010 - BASIC EAVE - WALL PANEL
  - EB3011 - BASIC EAVE - WALL PANEL UTILITY CLIP
  - EB3040 - BASIC EAVE - MASONRY WALL
  - EB3050 - BASIC EAVE - SUPPORTING MASONRY WALL
  - EB3070 - BASIC EAVE - NO WALL PANEL
  - EB3100 - OPEN LEAN-TO - WALL PANEL
  - EB3140 - CLOSED LEAN-TO - WALL PANEL
  - EB3600 - OPEN LEAN-TO - INSULATED WALL PANEL
  - EB3610 - BASIC EAVE - INSULATED WALL PANEL
  - EB3640 - CLOSED LEAN-TO - INSULATED WALL PANEL
-

EB3010 - BASIC EAVE w/ WALL PANEL

[Download the DWG file by clicking here.](#)

**NOTE:**

SEE ROOF PANEL BASIC  
INSTALLATION DETAIL FOR  
FASTENER AND SEALANT  
REQUIREMENTS



## BASIC EAVE DETAIL

BASIC EAVE DETAIL w/ WALL PANELS

SEE WALL SHEETING ERECTION NOTES FOR WALL PANEL FASTENER LOCATIONS


**EB3010**

Detailer Notes:

- 1) CLOSURES LOW EAVE LAYER DEFAULT IS ON. LAYER MUST BE TURNED OFF IF CLOSURES ARE NOT REQUIRED.

EB3011 - BASIC EAVE w/ WALL PANEL UTILITY CLIP

[Download the DWG file by clicking here.](#)



## BASIC EAVE DETAIL

BASIC EAVE DETAIL w/ WALL PANELS W/ UTILITY CLIP  
SEE WALL SHEETING ERECTION NOTES FOR WALL PANEL FASTENER LOCATIONS

**EB3011**

### Detailer Notes:


- 1) CLOSURES LOW EAVE LAYER DEFAULT IS ON. LAYER MUST BE TURNED OFF IF CLOSURES ARE NOT REQUIRED.

EB3040 - BASIC EAVE w/ MASONRY WALL

[Download the DWG file by clicking here.](#)

**NOTE:**

SEE ROOF PANEL BASIC  
INSTALLATION DETAIL FOR  
FASTENER AND SEALANT  
REQUIREMENTS



**BASIC EAVE DETAIL**

BASIC EAVE DETAIL w/ MASONRY WALL


**EB3040**

Detailer Notes:

1) N/A

EB3050 - BASIC EAVE w/ SUPPORTING MASONRY WALL

[Download the DWG file by clicking here.](#)



**BASIC EAVE DETAIL**

BASIC EAVE DETAIL w/ SUPPORTING MASONRY WALL

**EB3050**

Detailer Notes:


1) N/A

EB3070 - BASIC EAVE w/ NO WALL PANEL

[Download the DWG file by clicking here.](#)

**NOTE:**

SEE ROOF PANEL BASIC  
INSTALLATION DETAIL FOR  
FASTENER AND SEALANT  
REQUIREMENTS



**BASIC EAVE DETAIL**

BASIC EAVE DETAIL w/ NO WALL PANEL


**EB3070**

Detailer Notes:

1) N/A

EB3100 - OPEN LEAN-TO w/ WALL PANEL

[Download the DWG file by clicking here.](#)



## INTERIOR EAVE DETAIL

OPEN LEAN-TO WITH ROOF PANEL CONTINUOUS  
SEE WALL SHEETING ERECTION NOTES FOR WALL PANEL FASTENER LOCATIONS


**EB3100**

### Detailer Notes:

- 1) IF LEAN-TO IS MORE THAN 80' THE ROOF WILL NEED TO BE ALLOWED TO FLOAT FOR THERMAL EXPANSION. AN ALTERNATE METHOD FOR SEALING THIS EAVE CONDITION WILL BE REQUIRED.
- 2) CLOSURES LOW EAVE LAYER DEFAULT IS ON. LAYER MUST BE TURNED OFF IF CLOSURES ARE NOT REQUIRED.

EB3140 - CLOSED LEAN-TO w/ WALL PANEL

[Download the DWG file by clicking here.](#)



## INTERIOR EAVE DETAIL

CLOSED LEAN-TO WITH ROOF PANEL CONTINUOUS  
SEE WALL SHEETING ERECTION NOTES FOR WALL PANEL FASTENER LOCATIONS

**EB3140**


Detailer Notes:

- 1) CLOSURES LOW EAVE LAYER DEFAULT IS ON. LAYER MUST BE TURNED OFF IF CLOSURES ARE NOT REQUIRED.



EB3600 - OPEN LEAN-TO w/ INSULATED WALL PANEL

[Download the DWG file by clicking here.](#)



## INTERIOR EAVE DETAIL

OPEN LEAN-TO WITH ROOF PANEL CONTINUOUS  
SEE INSULATED WALL SHEETING ERECTION DETAILS FOR INSTALLATION  
INSTRUCTIONS.

**EB3600**

### Detailer Notes:


1) N/A

EB3610 - BASIC EAVE w/ INSULATED WALL PANEL

[Download the DWG file by clicking here.](#)

**NOTE:**

SEE ROOF PANEL BASIC  
INSTALLATION DETAIL FOR  
FASTENER AND SEALANT  
REQUIREMENTS



## BASIC EAVE DETAIL

BASIC EAVE DETAIL w/ INSULATED WALL PANELS  
SEE INSULATED WALL SHEETING ERECTION DETAILS FOR INSTALLATION  
INSTRUCTIONS.


**EB3610**

Detailer Notes:

1) N/A

EB3640 - CLOSED LEAN-TO w/ INSULATED WALL PANEL

[Download the DWG file by clicking here.](#)



INTERIOR EAVE DETAIL

CLOSED LEAN-TO WITH ROOF PANEL CONTINUOUS  
SEE INSULATED WALL SHEETING ERECTION DETAILS FOR INSTALLATION INSTRUCTIONS.

EB3640

Detailer Notes:

- 1) IF LEAN-TO IS MORE THAN 80' THE ROOF WILL NEED TO BE ALLOWED TO FLOAT FOR THERMAL EXPANSION. AN ALTERNATE METHOD FOR SEALING THIS EAVE CONDITION WILL BE REQUIRED.